ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (MPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sevage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PSTICIDE \$TORAGE. Do not store at low or externe temperatures. PSTICIDE \$ISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available. If party filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. CONTAINER DISPOSAL: Non-effliable container. Do not reuse or refill this container. Tippe firms (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose off in a sanitary landfill, or incheration, or, if allowed by state and local authorities, by buming it DismosAs you out of smoke.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or dothing. Wear googles or face shield.

LISER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove dothing immediately if pesticide gets inside. Then wash thoroughly and put on clean dothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SCAN OR COTHING: Take off contaminated clothing. Binse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless tod to do so by a poison control center or doctor. Do not jive any liquid to the person. Do not give anything by mouth to an unconscious person. Riave the product container or label with you when calling a poison control center or doctor, or going for treatment. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains performed middless evanification procured in the product contains or the product or produc

IN CASE OF EMERGENCY: CALL 800-424-9300

PHYSICAL AND CHEMICAL HAZARDS INFORMATION:

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. MIXTER AND HANDLESS: Read precustionary statements prior to handling the product. Add M-1 Advanced Mildev Testiment as directed below to the casting for massist mode, mildew, this throughly, stirring M-1 Advanced Mildev Testiment into the costing for 2-3 minutes. To ensure best coverage and results, follow costing manufacturers' instructions for cleaning and oreasting the surface. Mildev Testiment in or the costing for 2-3 minutes. To ensure best coverage and results, follow costing manufacturers' instructions for cleaning and oreasting the surface. Mildev Testiment is for protective the acolleteff in an adjust, north we substantial adjustment for protection the acollete film and paint, north we substantial adjustment for protection the acollete film and adjustment for protection that the substantial adjustment for protection and adjustment for protectio

Do not apply this product in a way that will contact any person or pet.

Pour contents of container into 5 gallons of paint or other coating.

Shake or stir thoroughly for 2-3 minutes.